

PRODUCT CODE

PRODUCT RANGE

LiBRM-PPES12KW32

Waterproof Consumer Unit

DESCRIPTION

Waterproof 4Way 2P MCB & 2P Switch-disconnector & 2 Cable Gland Consumer Unit

FEATURES

- Comply with IEC60529 standard
- 4 usable ways
- Panel is the ABS material
- Transparent material is PC
- 2P MCB included
- 2P Switch-disconnector included
- 2 Cable glands included



TECHNICAL DATA

Height	228mm
Width	143mm
Depth (including lid)	100mm
Weight	2 KG
Mounting	Surface
Application of Use	PuREPower 3.0 and PuREPower 5.0
Cable entry	Through Cable gland
Warranty	1 Year
Frequency	50/60Hz
Packaging	Вох
IP Rating	IP65
Mounting type	Din Rail
Material	Panel: ABS / Transparent : PC
Cover type	PC Transparent cover
Manufacturer	PUR ENERGY LIMITED
Product range	Waterproof Consumer Unit
Mainswitch rating	32A
Poles	2
MCB Type	C32A
Standards	IEC60529
Country of origin	India



PRODUCT CODE

LiBRM-PPES12KW32

DESCRIPTION

Waterproof 4Way 2P MCB & 2P Switch-disconnector & 2 Cable Gland Consumer Unit

APPLICATION OF USE

PuREPower 3.0 and PuREPower 5.0

RATINGS & CHARACTERISTICS

Voltage Rating 400V Current Rating 32A Frequency 50/60Hz



DESIGNATED STANDARDS


IEC60529 EN60309


MANUFACTURER

PUR ENERGY LIMITED

H.NO 10-38/2 Survey No.424/AA3 Beside Arya College of Pharmacy Near IIT Hyderabad Kandi Village,Sangareddy Hyderabad-502285

DIMENSION







PRODUCT CODE

PRODUCT RANGE

LiBRM-PPES12KW32

Waterproof Consumer Unit

DESCRIPTION

Waterproof 4Way 2P MCB & 2P Switch-disconnector & 2 Cable Gland Consumer Unit

FEATURES

- Comply with IEC60529 standard
- 4 usable ways
- Panel is the ABS material
- Transparent material is PC
- 2P MCB included
- 2P Switch-disconnector included
- 2 Cable glands included



TECHNICAL DATA

Height	228mm
Width	143mm
Depth (including lid)	100mm
Weight	2 KG
Mounting	Surface
Application of Use	PuREPower 12.0
Cable entry	Through Cable gland
Warranty	1 Year
Frequency	50/60Hz
Packaging	Box
IP Rating	IP65
Mounting type	Din Rail
Material	Panel: ABS / Transparent : PC
Cover type	PC Transparent cover
Manufacturer	PUR ENERGY LIMITED
Product range	Waterproof Consumer Unit
Mainswitch rating	63A
Poles	2
MCB Type	63A
Standards	IEC60529
Country of origin	India



PRODUCT CODE

LiBRM-PPES12KW32

DESCRIPTION

Waterproof 4Way 2P MCB & 2P Switch-disconnector & 2 Cable Gland Consumer Unit

APPLICATION OF USE

PuREPower 12.0

RATINGS & CHARACTERISTICS

Voltage Rating 400V Current Rating 63A Frequency 50/60Hz



DESIGNATED STANDARDS


IEC60529 EN60309


MANUFACTURER

PUR ENERGY LIMITED

H.NO 10-38/2 Survey No.424/AA3 Beside Arya College of Pharmacy Near IIT Hyderabad Kandi Village,Sangareddy Hyderabad-502285

DIMENSION







PRODUCT CODE

PRODUCT RANGE

LiBRM-PPES20KW33

Waterproof Consumer Unit

DESCRIPTION

Waterproof 8Way 4P MCB & 4P Switch-disconnector & 2 Cable Gland Consumer Unit

FEATURES

- Comply with IEC60529 standard
- 8 usable ways
- Panel is the ABS material
- Transparent material is PC
- 4P MCB included
- 4P Switch-disconnector included
- 2 Cable glands included



TECHNICAL DATA

Height	228mm
Width	215mm
Depth (including lid)	100mm
Weight	3.2 KG
Mounting	Surface
Application of Use	PuREPower 20.0
Cable entry	Through Cable gland
Warrenty	1 Year
Frequency	50/60Hz
Packaging	Вох
IP Rating	IP65
Mounting type	Din Rail
Material	Panel: ABS / Transparent : PC
Cover type	PC Transparent cover
Manufacturer	PUR ENERGY LIMITED
Product range	Waterproof Consumer Unit
Mainswitch rating	63A
Poles	2
MCB Type	C63A
Standards	IEC60529
Country of origin	India
·	



PRODUCT CODE

LiBRM-PPES20KW33

DESCRIPTION

Waterproof 8Way 4P MCB & 4P Switch-disconnector & 2 Cable Gland Consumer Unit

APPLICATION OF USE

PuREPower 20.0



Voltage Rating 400V Current Rating 63A Frequency 50/60Hz



IEC60529 EN60309



PUR ENERGY LIMITED

H.NO 10-38/2 Survey No.424/AA3 Beside Arya College of Pharmacy Near IIT Hyderabad Kandi Village,Sangareddy Hyderabad-502285

DIMENSION

